E-STUDIO 5506AC E-STUDIO 6506AC E-STUDIO 7506AC

Product brochure

- > Fully customisable A3 multifunction colour systems for impeccable document output at speeds of up to 75 ppm in colour and 85 ppm in monochrome.
- A standard Dual Scan Document
 Feeder for fast and reliable document
 processing at up to 240 ipm.
- Advanced media handling combined with superb image quality allows for easy in-house creation of a large range of professional looking documents.





CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customisable MFPs to improve your work processes. Intuitive and smartly integrated, our products simplify complex tasks through customisable quick access icons and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs while helping you to meet your green objectives.

Sleeker, faster, and more versatile than ever.

Toshiba's high-end A3 colour line-up is as impressive on the outside as it is on the inside. Its ultra-modern look houses the latest innovative technology, delivering brilliant quality documents at speeds of up to 75 pages per minute (ppm) in colour and 85 ppm in monochrome.

- > Advanced Toshiba e-BRIDGE controller technology for high-quality document output with a resolution of up to 1,200 dpi x 1,200 dpi for colour and up to 3,600 x 1,200 dpi for monochrome
- > Speeds of 55/65/75 ppm in colour and 65/75/85 ppm in monochrome
- > High-speed, high-capacity Dual Scan Document Feeder for lightning fast document processing
- > RGB substitution allows accurate colours when using office applications
- > Auto-calibration ensures consistency of colour across all print jobs



Improve productivity and connectivity while simplifying your workflows.

Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customisable to meet your needs. Part of the bold new look being introduced across the new e-STUDIO series.

TOSHIBA INNOVATION AT ITS FINEST.

When it comes to seamless workflow and simplified integration, the e-STUDIO7506AC series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions.

AirPrint and Mopria support means mobile users can print to the MFP with ease. The e-BRIDGE Print & Capture app provides additional capabilities including the ability to scan from the MFP back to your mobile device.

Cloud Support

New Scan-to-Cloud and Cloud Print capabilities increase productivity by allowing users to access, store and print documents remotely from the MFP. Whether it's Dropbox, Microsoft OneDrive or Google Drive, the new e-STUDIO7506AC series makes scanning to or printing from the cloud simpler then ever.

The support for Google Cloud Print enables easy printing to the MFP from any location. Print jobs can be sent from outside the network environment without the need to install a printer driver.

Advanced Security

Alongside innovative functionality the e-STUDIO7506AC series offers industry-leading security, which includes:

- > The self-encrypting Toshiba Secure HDD, which provides top level security
- > Optional security functions to make the systems compliant with IEEE2600.1 and meet the EAL3 Common Criteria requirements
- IPsec to securely encrypt data sent to and from the MFP

Environmental Responsibility

Toshiba is continuously working towards a more sustainable future for everyone, which is why our products reflect our commitment to the future of the planet.

- > RoHS compliant; use of recycled plastics and a low-power Super Sleep Mode to save resources
- > Being ENERGY STAR Tier 2 compliant means the systems meet the latest, most stringent environmental requirements



INNOVATIVE FEATURES, VERSATILE CONNECTIVIT

The Toshiba e-STUDIO7506Ac series helps workgroups connect, integrate and simplify while improving efficiency, productivity and the professionalism of your printed materials.

Advanced e-BRIDGE Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

High, Robust Speeds 55/65/75 brilliant colour pages per minute and 65/75/85 monochrome pages per minute, respectively.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size, type or, in some cases, colour toner.

Job Reservation will queue up multiple copy or print jobs so users can send jobs at any time.

Toner Change On-The-Fly allows you to replace the toner cartridges while the MFP is printing.

Embedded Optical Character Recognition (OCR) simplifies the creation of searchable PDFs or generates editable document formats such as Microsoft Word.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Bluetooth/Wi-Fi Option to simplify workflow processes at the MFP and enable Wi-Fi Direct printing — ideal for mobile users.

Card Readers can be installed discreetly behind the cover of the systems. Providing fast and convenient access to your print jobs and increased data security.



Customised to display up to 18 icons per page and with a different background.




Display icons as buttons to easily access functions or start workflows.

A large tablet-like touch screen improves document handling. It lets you work intuitively, helping you access instructions, functions and commands with ease.

Size and order of icons as well as the background image can be customised to meet the individual needs and preferences of users. Enjoy the unique experience of working with a system that understands what you want.



CONFIGURATION



HIGHLIGHTS

Advanced Media Handling

A vast range of media types and sizes, including banner paper as long as 1,200 mm, combined with advanced colour management and various finishing options allow easy in-house production of impressive, high quality colour documents.

Multi Station Print Enabler

Toshiba's serverless printing solution allows users to send print jobs from their desktop and retrieve them at any available MFP by simply swiping their badge and authenticating at that device. Making last-minute changes to a print job directly at the MFP or re-printing previous jobs incredibly simple.

Dual Scan Document Feeder

The 300-sheet capacity, high-speed document feeder seamlessly scans both sides of each page in a single pass with speeds of up to 240 ipm.

SPECIFICATIONS

General

Warm-up Time

Print & Copy Speed Colour: 55/65/75 ppm (A4)

27/30/37 ppm (A3) Monochrome: 65/75/85 ppm (A4)

Approx. 15 seconds from low power mode

30/37/40 ppm (A3)

Paper Size & Weight Cassettes: A5R-320 x 460 mm, 60-256 gsm

Tandem LCF1): A4, 60-256 gsm

Bypass: 100 x 148 mm-330 x 483 mm, 60-300 gsm, banner paper (up to 313.4 x 1,200 mm, 90-163 gsm)

Paper Capacity 4x 540 sheets (Cassettes) or 2x 540 sheets

(Cassettes) + 1x 2,320 sheets (Tandem LCF)1),

1x 120 sheets (Bypass) Maximum 6,020 sheets

Automatic Duplex A5R-320 x 460 mm, 60-256 gsm

Controller Type Toshiba e-BRIDGE

Control Panel 22.9 cm (9") Multi-Touch Colour Panel Toshiba Secure HDD 320 GB2), 4 GB RAM Memory

Interface 10Base-T/100Base-TX/1000Base-T,

High Speed USB 2.0, WLAN3 (IEEE802.11b/g/n),

Bluetooth3, Wi-Fi Direct3)

Dimensions & Weight 955 x 698 x 1,227 mm (W x D x H), 213 kg

Print.

600 x 600 dpi. Resolution

1,200 x 1,200 dpi (2 bit, PostScript driver only), 3,600 x 1,200 dpi with smoothing (PostScript driver

only, monochrome)

Page Description Language

PCL5e, PCL5c, PCL6 (PCL XL), XPS and

PostScript 3 compatible

Windows 10/8/7/Vista/Server 2008 (32/64 bit), **Supported Systems**

Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare

(NDPS), SAP, AS/400

Network Protocols TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over

TCP/IP

Colour Modes Auto-Colour (ACS), Colour, Twin Colour, Monochrome **Colour Settings**

ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance

Mobile Printing e-BRIDGE Print & Capture, AirPrint Mopria Print Service, Google Cloud Print

Print Functions Universal Printer Driver, Driver Templates, Driver plug-ins3), Print from USB, Hold print, Tandem printing

Scan

Resolution Maximum 600 x 600 dpi

Scan Speed Up to 240 ipm (300 dpi) in colour and monochrome

via Dual Scan Document Feeder

Scan Modes Auto-Colour (ACS), Colour, Greyscale, Monochrome

File Formats JPEG, Multi/Single Page TIFF/XPS/PDF,

Secure PDF, Slim PDF, PDF/A, Searchable PDF3)

(and other formats like DOCX, XLSX)3)

Scan Functions WS Scan, Scan to USB, Scan to E-Mail, Scan to File

(SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan3) OCR scan³, Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution Scan: 600 x 600 dpi

Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing

First Copy Output Time Colour: Approx. 6.4/6.4/5.4 seconds Monochrome: Approx. 5.2/4.5/4.1 seconds

25-400% (Platen), 25-200% (DSDF)

Text, Text/Photo, Photo, Printed Image, Map, Copy Modes

Image Smoothing

Colour Modes Auto-Colour (ACS), Full Colour, Twin Colour,

Mono Colour, Monochrome

Colour Settings Hue, Saturation, Colour Balance, RGB adjustment,

5 one-touch modes

Copy Functions Electronic Sort, Rotate Sort, ID Card Copy,

Edge Erase, 2-in-1 / 4-in-1 mode

Fax³⁾

Super G3, G3 - (opt. 2nd line), Internet Fax T.37 Communication

Transmission Speed Approx. 3 seconds per page JBIG, MMR, MR, MH Compression

1 GB Transmission/Reception Fax Memory

Network-Fax Driver for Windows 10/8/7/Vista/Server 2008 (32/64 bit), Server 2012/Server 2008 R2 (64 bit)

To shared folders (SMB, FTP, IPX/SPX), E-Mail, **Incoming Fax Routing**

System & Security

Device Management

e-BRIDGE Fleet Management System3), Top Access for remote administration and configuration

System Features

e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform3, Embedded Web Browser, Job Skip

Accounting & Security

Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader3), Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler3), IP and MAC address filter, Port filter, Support of SSL and IPsec3) protocols, IEEE802.1x support, IEEE2600.1 compliant3), Scan to Secure PDF

OPTIONS

EXTERNAL LARGE CAPACITY FEEDER

2,500-sheet capacity, A4, 60-256 gsm

MULTI-STAPLE FINISHER

2 trays, 3,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)

SADDLE-STITCH FINISHER

2 trays, 3,250-sheet capacity 50-sheet multi-position stapling

5-sheet center folding

Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 gsm (stapling mode)

HOLE PUNCH UNIT

Available in 2 holes (E), 4 holes (F)

SIDE EXIT TRAY

FAX BOARD

WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct)

e-BRIDGE ID-GATE

ACCESSORY TRAY

PANEL TEN-KEY OPTION

DATA OVERWRITE ENABLER

IPsec ENABLER

EMBEDDED OCR ENABLER

MULTI STATION PRINT ENABLER

HARD COPY SECURITY KIT

META SCAN ENABLER

UNICODE FONT ENABLER

ACCESSIBLE ARM

















- ¹⁾ e-STUDIO5506AC LCF version only
- ² 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.
- Optional



About Toshiba TEC

Toshiba TEC UK Imaging Systems LTD is part of the globally operating Toshiba TEC Corporation, active in various high-tech industrial sectors.

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

TOSHIBA TEC UK IMAGING SYSTEMS LTD

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone

+44 (0)843 2244944

info@toshibatec.co.uk

Website

www.toshibatec.co.uk











This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation.

Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned. Copyright ©2016 TOSHIBA TEC. BR_e-STUDIO75006Ac series_201608 6BY0COP1611

